

DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR


(A) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY

YEAR 2023 - 2024

Faculty: Ayurved

Name of College: M. S. Ayurvedic Medical College, Hospital & research Institute, Gondia (MS) College Code: 125106

Sr.No	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1	Microscopes with oil immersion	Thirty	Fifty	50	Adequate
2	Westergen's pipette for ESR	Sixty	Hundred	100	Adequate
3	Haematocrit Tube	Sixty	Hundred	100	Adequate
4	Sahli's Haemoglobinometer	Sixty	Hundred	100	Adequate
5	Haemocytometer	Sixty	Hundred	100	Adequate
6	Electrocardiograph	One	One	01	Adequate
7	Stop watches	Sixty	Hundred	100	Adequate
8	Water Distillation still	One	One	01	Adequate
9	Balances	One	One	01	Adequate
10	Centrifuge with speed control	Three	Six	06	Adequate
11	Colorimeter (photoelectric)	Three	Six	06	Adequate
12	pH meter Electric	One	One	01	Adequate
13	pH comparator with disc	One	One	01	Adequate
14	Sphygmomanometer	Thirty	Fifty	50	Adequate
15	Stethoscopes	Sixty	Hundred	100	Adequate
16	Clinical Thermometer	Sixty	Hundred	100	Adequate
17	Knee Hammer	Sixty	Hundred	100	Adequate
18	Tuning forks	Sixty	Hundred	100	Adequate
19	Sterilizer	Five	Five	05	Adequate
General					
20.	Refrigerator	One	One	01	Adequate
21.	Newton's colour wheel In a batch	One	One	01	Adequate
Miscellaneous					
22.	Cover slips, glassware, Microslides	Assorted		Available	Adequate




Dean/ Principal Stamp & Signature
Principal

M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)


(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL

S.No.	Instruments and Equipments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
		Essential			
1.	Tank with a capacity to preserve 2-4 bodies.		Assorted	Available	Adequate
2.	Machines for bones and brain sectioning		Assorted	Available	Adequate
3.	Dissection Sets	Fifteen Sets	Twenty-five sets	25	Adequate
4.	Dissecting Table				
a)	Full size with steel top or marble top	Four	Six	06	Adequate
b)	Half size with steel top or marble top	Eight	Ten	10	Adequate
		General			
5.	X-ray viewing box or panels	Three	Three	03	Adequate
		Miscellaneous			
6.	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$		Assorted	Available	Adequate
7.	- fine pointed Chisel bone dissector		Assorted	Available	Adequate
8.	Glass jars of different sizes		Assorted	Available	Adequate
	Preservative Chemicals				




Dean/ Principal Stamp & Signature
Principal
M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)

19.	Refrigerator
20.	Newton's colour wheel in a batch
21.	Cover slips, glassware, Microslides
22.	



Dean/Principal, M.S. Ayurvedic Medical College, Kondia
M.S. Ayurvedic Medical College, Kondia
Hospital & Research Institute, M.S. Ayurvedic Medical College, Kondia
AND BHAISHAJYA KALPANA LABORATORY

C:\Users\edp6\Desktop\IUC for 2022-23\Ayurved IUC Format for inspectors.docx

Essential


1.	Khalva Yantra-	Up to Sixty intake capacity	Sixty- one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
a)	Small	Ten	Twenty	20	Adequate
b)	Medium	Ten	Twenty	20	Adequate
c)	Porcelain	Ten	Twenty	20	Adequate
d)	Taptakhalvyantra	Two	Four	04	Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Ten	Twenty	20	Adequate
3.	Putas (Different kind)	Five	Ten	10	Adequate
4.	Moosha (Crucibles)	Thirty	Fifty	50	Adequate
5.	Koshti with Blower	Two	Four	04	Adequate
6.	Yantras				
a)	Dola Yantra	One	One	01	Adequate
b)	Valuka Yantra	One	One	01	Adequate
c)	Pithara Yantra	One	One	01	Adequate
d)	Bhudhara Yantra etc.	One	One	01	Adequate
7.	Distillation Apparatus and Arka Yantra	Three	Six	06	Adequate
8.	Kupipakva Bhatti	One	One	01	Adequate

General

9.	Wet Grinder	One	One	01	Adequate
10.	Mixi	One	One	01	Adequate
11.	Juice Extractor	One	One	01	Adequate
12.	Refrigerator	One	One	01	Adequate
13.	Almiras and Racks for storage	Assorted		Available	Adequate
14.	Balance (Different Capacities)				
a)	Physical	One	One	01	Adequate
b)	Chemical	One	One	01	Adequate
c)	Electronic Balance	One	One	01	Adequate
15.	Heating Device-				
a)	Gas Stove	Assorted		Available	Adequate
b)	Hot plate	Assorted		Available	Adequate
c)	Chulla (Charcoal)	Assorted		Available	Adequate
16.	Big Vessels and Containers-				
a)	Brass	Assorted		Available	Adequate



b)	Copper		Assorted		Available	Adequate
c)	Steel etc.		Assorted		Available	Adequate
d)	Earthen Vessels-Pots		Assorted		Available	Adequate
Miscellaneous						
17.	Jars(Porcelain)	Fermentation Purpose	Assorted		Available	Adequate
18.	Enamel Trays		Assorted		Available	Adequate
19.	Spirit Lamp		Assorted		Available	Adequate
20.	Pressure Cooker		Assorted		Available	Adequate
21.	Measuring Equipments	Different Size (Glass)	Assorted		Available	Adequate
22.	Pyrometer		Assorted		Available	Adequate
23.	Thermo meter		Assorted		Available	Adequate
24.	Vessels					
a)	Frying Pan		Assorted		Available	Adequate
b)	Steel Vessel		Assorted		Available	Adequate
c)	Spatula		Assorted		Available	Adequate
d)	Ladles and Spoons		Assorted		Available	Adequate
e)	Knife		Assorted		Available	Adequate
f)	Plates		Assorted		Available	Adequate
g)	Samdamsa Yantra(Tongs)		Assorted		Available	Adequate
25.	Sieves (Assorted Nos. and Size)		Assorted		Available	Adequate




Wishu
30/06/23

Dean/ Principal Stamp & Signature
Principal

M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)

(D) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOGNOSY LABORATORY [DRAVYAGUNAI]

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Field magnifier	One	One	01	Adequate
2.	Compound microscope	One	One	01	Adequate
3.	Dissecting Microscope	One	One	01	Adequate
4.	Microscope	Fifteen	Twenty five	25	Adequate
5.	Electronic balance	One	Two	02	Adequate
Miscellaneous					
6.	Slides box with cover slips,		Assorted	Available	Adequate
7.	Blotting/filter papers		Assorted	Available	Adequate
8.	Dissection Box		Assorted	Available	Adequate
9.	Enamel Trays		Assorted	Available	Adequate
10.	Reagents-				
a.	Chloroform		Assorted	Available	Adequate
b.	Alcohol.		Assorted	Available	Adequate
c.	HCL		Assorted	Available	Adequate
d.	Sulphuric acid		Assorted	Available	Adequate
e.	Sodium, potassium hydroxide		Assorted	Available	Adequate
f.	Benedict solution		Assorted	Available	Adequate
g.	Sodium nitrate		Assorted	Available	Adequate
h.	Potassium nitrate		Assorted	Available	Adequate
i.	Citric acid		Assorted	Available	Adequate
j.	Iodine		Assorted	Available	Adequate
k.	Ethyl Alcohol		Assorted	Available	Adequate
l.	Potassium Iodide		Assorted	Available	Adequate
m	Xylol/pure xylene (slide preparation)		Assorted	Available	Adequate



Dean/ Principal Stamp & Signature


Principal

**M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)**

Yashke 10/06/23


(E) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVI GYAN LABORATORY

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty five	25	Adequate
2.	Microscope with oil immersion	Fifteen	Twenty five	25	Adequate
3.	Monocular microscope with oil emersion lens20(e)	Fifteen	Twenty five	25	Adequate
4.	X-ray view box	One	One	01	Adequate
5.	Sahli's Square tube	Thirty	Fifty	50	Adequate
6.	Hb pipette	Thirty	Fifty	50	Adequate
7.	WBC Pipette	Thirty	Fifty	50	Adequate
8.	Dropper	Thirty	Fifty	50	Adequate
9.	Red cell pipette	Thirty	Fifty	50	Adequate
10.	Improved Neubauer chamber	Thirty	Fifty	50	Adequate
11.	Incubator	One	Two	02	Adequate
12.	Wintrobe's tube	Thirty	Fifty	50	Adequate
13.	Pasteur's pipette	Thirty	Fifty	50	Adequate
14.	Centrifuge Graduated Machine	One	Two	02	Adequate
15.	Westergrens pipette	Thirty	Fifty	50	Adequate
16.	Westergrens's stand	Thirty	Fifty	50	Adequate
17.	Urinometer	Thirty	Fifty	50	Adequate
18.	Autoclave	One	One	01	Adequate
19.	Ultraviolet lamp	One	One	01	Adequate
20.	Cell counter (haemoautoanalyser)	One	One	01	Adequate
21.	BP Apparatus	Thirty	Fifty	50	Adequate
22.	Stethoscope	Thirty	Fifty	50	Adequate
23.	Thermometer	Thirty	Fifty	50	Adequate
24.	Tongue depressor	Thirty	Fifty	50	Adequate
25.	Stop watch	Thirty	Fifty	50	Adequate
General					
26.	Physical balance	One	One	01	Adequate
27.	Hot air oven	One	One	01	Adequate
28.	Bunsen burner	Thirty	Fifty	50	Adequate
29.	Refrigerator	One	One	01	Adequate




(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
	Essential			
1.	Shadowless Lamp	One	01	Adequate
2.	Suction Machine (Neonatal)	One	01	Adequate
3.	Oxygen Cylinder and Mask	One	01	Adequate
4.	Foetal Toco Cardiograph	One	01	Adequate
5.	Radiant Warmer	One	01	Adequate
6.	Photo therapy Unit	One	01	Adequate
7.	Weighing Machine (Paediatric)	Two	02	Adequate
8.	Patient trolley	One	01	Adequate
9.	Anaesthesia trolley	One	01	Adequate
10.	Infantometer	One	01	Adequate
11.	Vacuum extractor	One	01	Adequate
12.	Foetal Doppler	Two	02	Adequate
13.	Low cavity forceps	Two	02	Adequate
14.	Steriliser	Assorted	Available	Adequate
15.	Machintosh rubber sheet	Assorted	Available	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holders etc.)	Two	02	Adequate
17.	Baby tray	One	01	Adequate
18.	Nebuliser	Five	05	Adequate
19.	Foetoscope	One	01	Adequate
20.	Auto Clave	Assorted	Available	Adequate
21.	Drums	Assorted	Available	Adequate
22.	Instrumental Trolley	One	01	Adequate
23.	OT tables and head Up and head Low facility	One	01	Adequate
24.	Pulse Oximeter	One	01	Adequate
25.	Resuscitation kit	One	01	Adequate
26.	Boyle's apparatus	One	01	Adequate
27.	Electrocautery	One	01	Adequate
28.	MTP Suction Machine	One	01	Adequate
29.	Anaesthesia Kit	Ten	10	Adequate
30.	Blunt and Sharp Curettes	Five	10	Adequate
31.	Dilators set (Hegar's, Hawkins)			



32.	Sims's Speculum		Five	05	Adequate
33.	Cusco's Speculum		Five	05	Adequate
34.	Anterior Vaginal Wall retractor		Five	05	Adequate
35.	Uterine sound		Five	05	Adequate
36.	Volsellum		Five	05	Adequate
37.	MTP Suction Currate		Five	05	Adequate
38.	Retractors abdominal (Doyle's etc.)		Five	05	Adequate
39.	Sponge holding forceps		Five	05	Adequate
40.	Green armytage forceps		Five	05	Adequate
41.	Uterus holding forceps		Five	05	Adequate
42.	Kocher's forceps		Five	05	Adequate
43.	Artery forceps (Long, short, Mosquito)Each		Five	05	Adequate
44.	Scissors- different sizes		Five	05	Adequate
45.	Forceps obstetrics		Five	05	Adequate
46.	Endotrachial tubes		Five	05	Adequate
47.	Cord Cutting appliances		Five	05	Adequate
48.	I.U.C.D. removing hook		Five	05	Adequate
49.	Bladder Sound		Two	02	Adequate
50.	B.P. apparatus				
Miscellaneous					
51.	HIV kit for emergency patients		Assorted	Available	Adequate
52.	Plain and Hole towels		Assorted	Available	Adequate
53.	Towel Clips		Assorted	Available	Adequate
54.	Catguts and Thread		Assorted	Available	Adequate
55.	Needles		Assorted	Available	Adequate
56.	Needle holders		Assorted	Available	Adequate



Handwritten signature
30/06/23

Dean/ Principal Stamp & Signature

Principal


M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)

(G) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE


S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
I	Shalya:			
	Essential			
1.	Spot light (Shadow less ceiling fitted)	One	01	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	Available	Adequate
3.	Dressing drums of Assorted size	Assorted	Available	Adequate
4.	Drum stand	Two	02	Adequate
5.	IV Stand	Four	04	Adequate
6.	Cheatles Forceps	Four	04	Adequate
7.	Mosquito forceps	Four	04	Adequate
8.	Scissors straight (Tailor)	Five each	05	Adequate
9.	Scissors curved of different sizes	Five each	05	Adequate
10.	Stitch removal scissors	Four	04	Adequate
11.	Dissection forceps	Four	04	Adequate
12.	Sinus Forceps	Five each	10	Adequate
13.	Probes - Assorted size	Four	04	Adequate
14.	Pointed scissors	Five	05	Adequate
15.	Abdominal Retractors	Five	05	Adequate
16.	Tissue Forceps	Five	05	Adequate
17.	Bob Koch's Forceps	Five	05	Adequate
18.	Kocher's Forceps	Five each	05	Adequate
19.	Urethral Dilators	Five each	05	Adequate
20.	Metal Catheters	Four	04	Adequate
21.	Sponge holding forceps	Four	04	Adequate
22.	Right Angle cholecystectomy Forceps	Four	04	Adequate
23.	Stone holding forceps	Four	04	Adequate
24.	Allies Forceps small	Four	04	Adequate
25.	Allies Forceps Big	Four	04	Adequate
26.	Artery Forceps small	Four	04	Adequate
27.	Artery Forceps big	Four	04	Adequate
28.	Artery Forceps Medium	Four	04	Adequate
29.	Sigmoidoscope Rigid/flexible	One	01	Adequate
30.	Barron Pile's Gun	Two	02	Adequate
31.	Laryngoscope Pediatric/Adult	One	01	Adequate
32.	Boyles Apparatus	One	01	Adequate
33.	Multi-parameter Monitor	One	01	Adequate




34.	Ambu Bag		Tw	02	Adequate
35.	Suction machine Electrical or Manual		One	01	Adequate
36.	Skin grafting knife with handle		Assorted	Available	Adequate
37.	Surgical blades of different size		Assorted	Available	Adequate
38.	Self-Retaining Retractor		Assorted	Available	Adequate
39.	Bone cutter		Two	02	Adequate
40.	Gigli Saw		Two	02	Adequate
41.	Scoop		Assorted	Available	Adequate
42.	Periosteum elevator		Two	02	Adequate
43.	Maggles Forceps		Assorted	Available	Adequate
44.	High Pressure Autoclave		One	01	Adequate
45.	Nitrous Oxide Cylinder		One	01	Adequate
46.	Hydrolic Operation Table		One	01	Adequate
47.	Boyle's Apparatus		One	Available	Adequate
48.	Instrument Trolley		Assorted	Available	Adequate
49.	Endotracheal Tube		Assorted	Available	Adequate
50.	Proctoscope with or without illumination		Two	02	Adequate
51.	Gabrial Syringe		One	01	Adequate
52.	Strecher with trolley		Two	02	Adequate
53.	Suction Machine		Assorted	Available	Adequate
General					
54.	Emergency power back up facility		Assorted	Available	Adequate
55.	Emergency light		Four	04	Adequate
56.	Fire Extinguisher		Two	02	Adequate
57.	BP Apparatus		Assorted	Available	Adequate
58.	Fumigator		One	01	Adequate
59.	Refrigerator		One	01	Adequate
60.	X-ray View Box (double)		Two	01	Adequate
61.	Revolving Stool		Assorted	Available	Adequate
62.	Vertical BP Instrument		One	01	Adequate
63.	Rubber catheters of Assorted size		Assorted	Available	Adequate
Miscellaneous					
64.	Corrugated rubber drain		Assorted	Available	Adequate
65.	Suturing Needle (straight/curved) of Assorted size		Assorted	Available	Adequate
66.	Surgical Thread		Assorted	Available	Adequate
67.	BP Handle of different size		Assorted	Available	Adequate
68.	Needle holder		Assorted	Available	Adequate
II					
Shalakyia: Ophthalmic Equipment or Instruments for Operative Surgery					
Essential					



	Opthalmic Operat. table with Head rest	Or	01	Adequate
69.	Sterilizing box/case with matts	Assorted	Available	Adequate
70.	Lens insertion Forceps	Assorted	Available	Adequate
71.	Keratome	Assorted	Available	Adequate
72.	Desmarres lid retractors	Assorted	Available	Adequate
73.	Cat-paw lacrimal retractor	Assorted	Available	Adequate
74.	Mueller lacrimal sac retractor	Assorted	Available	Adequate
75.	Dastoor iris retractor	Assorted	Available	Adequate
76.	Meyrhofer Chalazioncurrette	Assorted	Available	Adequate
77.	Sinsky lens manipulating hook	Assorted	Available	Adequate
78.	IOL Manipulator	Assorted	Available	Adequate
79.	Foreign body spud	Assorted	Available	Adequate
80.	Lewis lens loop (vectis)	Assorted	Available	Adequate
81.	Cystotome and spoon	Assorted	Available	Adequate
82.	Mule Evisceration spoon	Assorted	Available	Adequate
83.	Iris repository (double-ended)	Assorted	Available	Adequate
84.	Jameson muscle hook	Assorted	Available	Adequate
85.	Wills cautery with copper ball-point	Assorted	Available	Adequate
86.	Langs lacrimal sac dissector	Assorted	Available	Adequate
87.	Kelly Glaucoma punch	Assorted	Available	Adequate
88.	Elevator (double ended)	Assorted	Available	Adequate
89.	Nasal speculum adult/child	Assorted	Available	Adequate
90.	Wilder punctum Dilator	Assorted	Available	Adequate
91.	Bowman lacrimal probes	Assorted	Available	Adequate
92.	Hartman mosquito forceps	Assorted	Available	Adequate
93.	Colibri forceps 1*2 teeth	Assorted	Available	Adequate
94.	Mc. person corneal forceps with tying platform	Assorted	Available	Adequate
95.	Dressing forceps, serrated	Assorted	Available	Adequate
96.	Moorfieldconjunctival forceps	Assorted	Available	Adequate
97.	Fixation forceps	Assorted	Available	Adequate
98.	Beer cilea (epilation) forceps	Assorted	Available	Adequate
99.	Arruga capsular forceps	Assorted	Available	Adequate
100.	Snellen Entropion clamp	Assorted	Available	Adequate
101.	Chalazion clamps	Assorted	Available	Adequate
102.	Vannas straight scissors	Assorted	Available	Adequate
103.	Barraquer needle holder	Assorted	Available	Adequate
104.	Air injection cannula	Assorted	Available	Adequate
105.	Healon aspirating cannula	Assorted	Available	Adequate
106.	AC washout cannula	Assorted	Available	Adequate
107.	Lacrimal cannula	Assorted	Available	Adequate
108.	Hydrodialysis cannula	Assorted	Available	Adequate
109.				



110.	J-loop cannula (Right Left With silicon tubing)	Assorted	Available	Adequate
111.	Simcock direct I/A cannula with silicon tubing	Assorted	Available	Adequate
112.	Irrigating aspirating handle	Assorted	Available	Adequate
113.	Lens dialer	Assorted	Available	Adequate
114.	Superior Rectus forceps	Assorted	Available	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	Available	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	Available	Adequate
III				
ENT-Surgical or Operative Procedural Instruments				
Essential				
117.	Aural Syringe	Assorted	Available	Adequate
118.	Jobson's Aural Probe	Assorted	Available	Adequate
119.	Eustachian Catheter	Assorted	Available	Adequate
120.	Mastoid Retractor	Assorted	Available	Adequate
121.	Mastoid Gouge	Assorted	Available	Adequate
122.	Mallet	Assorted	Available	Adequate
123.	Nasal Foreign Body hook	Assorted	Available	Adequate
124.	Nasal packing forceps	Assorted	Available	Adequate
125.	Nasal Snare	Assorted	Available	Adequate
126.	Bayonet Shaped gouge	Assorted	Available	Adequate
127.	Walsham forceps	Assorted	Available	Adequate
128.	Laryngeal forceps	Assorted	Available	Adequate
129.	Tongue plate with throat suction	Assorted	Available	Adequate
130.	Tonsil holding forceps	Assorted	Available	Adequate
131.	Tonsillar suction	Assorted	Available	Adequate
132.	Adenoid curette with cage	Assorted	Available	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	Available	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	Available	Adequate
135.	Cheatel's Forceps	Assorted	Available	Adequate
Miscellaneous				
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted	Available	Adequate




Dean/ Principal Stamp & Signature

Principal


M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S.)

(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR QUALITY IMPROVEMENT

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate
1	Kayachikitsa	Essential			
		X-Ray View Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate
		Torch	Two	02	Adequate
		Examination Table	One	01	Adequate
		Thermometer	Four	04	Adequate
		Tongue depressor	Five	05	Adequate
		Weight and height measuring stand	One	01	Adequate
		Measuring tape	One	01	Adequate
		Knee Hammer	Two	01	Adequate
		Miscellaneous			
		Gloves	Assorted	Available	Adequate
2	Shalya	Essential			
		X-Ray Viewing Box	One	01	Adequate
		Stethoscope	Four	04	Adequate
		Instruments for ano-rectal examination	Two sets	02	Adequate
		Examination Table	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Thermometer	Four	04	Adequate
		Torch	Assorted	Available	Adequate
		Cheatele forceps	Assorted	Available	Adequate
		General			
		Minor OT	Assorted	Available	Adequate
		Miscellaneous			
		Surgical Blades	Assorted	Available	Adequate
3	Shalakya	Essential			
		Tuning forks	Assorted	Available	Adequate
		Ophthalmoscope/ fundoscope	Two	02	Adequate
		Auroscope	Two	02	Adequate
		Examination Table	One	01	Adequate
		X-Ray Viewing Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate
		Thermometer	Four	04	Adequate
		ENT kit	Assorted	Available	Adequate



		Torch		Two	02	Adequate
		Bull's lamp		One	01	Adequate
4	Prasuti and Stri Roga					
			Essential			
		Weighing machine		One	01	Adequate
		Sims' s speculum		Two	02	Adequate
		Thermometer		Four	04	Adequate
		Cusco's speculum		Two	02	Adequate
		Examination Table		One	01	Adequate
		Lamp stand		One	01	Adequate
		Torch		Two	02	Adequate
		X-Ray Viewing Box		One	01	Adequate
		BP Apparatus		Two	02	Adequate
		Stethoscope		Four	04	Adequate
		Measuring tape		Two	02	Adequate
5	Bal Roga		Essential			
		Scale		One	01	Adequate
		Weighing machine		One	01	Adequate
		Torch		Two	02	Adequate
		X-Ray View Box		One	01	Adequate
		Thermometer		Four	04	Adequate
		BP Apparatus with Pediatric cuff		Two	02	Adequate
		Stethoscope		Assorted	Available	Adequate
		Examination Table		Assorted	Available	Adequate
6	Panchkarma	As per Kayachikitsa				
7	Yoga Section (Swasth Rakhshan)	Facilities available (Equipment, Instrument, Furniture etc)		Assorted	Available	Adequate
8	Emergency	Facilities available (Equipment, Instrument, Furniture etc)		Assorted	Available	Adequate



Wb/2023

Dean/ Principal Stamp & Signature

Principal

M.S. Ayurvedic Medical College,
Hospital & Research Institute, Gondia (M.S)